


# Smart technology, smart products.

**FLOOR PREPARATION** 





## Cempolay Ultra Strong

- Ultra fast self smoothing compound - walk on in just 2 hours
- Smooths and levels up to 20mm thick
- Suitable for exterior use as an underlay
- · Water and frost resistant
- Internally can be left as a final wear surface which can be over painted
- Used to level sub floors prior to laying decorative floor coverings
- · Interior and exterior

25kg		
Code 30812526		
Carton Quantity 1		
Inner Bar Code 5010591366008		
Outer Bar Code n/a		
Ti x Hi 7 x 6		



#### Cempolay Deep

- For raising floor levels up to 50mm in one application
- · Foot traffic in just 1.5 hours
- Ceramic/textile covering in just 3-4 hours
- Suitable for direct laying of vinyl
- For smoothing and resurfacing of internal floors on concrete, sand/cement screeds and unglazed ceramics tiles
- Interior

20kg		
Code 30812527		
Carton Quantity 1		
Inner Bar Code 5010591366015		
Outer Bar Code n/a		
Ti x Hi 10 x 5		



#### Cempolatex 1 Pack

- Latex modified, protein-free self-smoothing sub-floor compound
- · Flexible, rapid setting formula
- Interior

25kg		
Code 30812516		
Carton Quantity 1		
Inner Bar Code 5011734036659		
Outer Bar Code n/a		
Ti x Hi 7 x 6		



## **Evo-Stik Laytex Powder**

- Two part, latex based, self-smoothing compound for levelling uneven internal floors
- Highly flexible
- Suitable for use with underfloor heating
- Interior

Part A Powder 20Kg	Part B Liquid 4.35Ltr	
Code 30814240	Code 30812587	
Carton Quantity 1	Carton Quantity 4	
Inner Bar Code 5099414560168	Inner Bar Code 5099414560175	
Outer Bar Code n/a	Outer Bar Code n/a	
Ti x Hi 7 x 6	Ti x Hi 10 x 3	



### Evo-Stik Floor Levelling Compound

- Provides a sound, smooth, level base for most types of floor covering
- Light foot traffic in 4 hours
- Excellent coverage and self-smoothing properties

20kg		
Code 30810395		
Carton Quantity 1		
Inner Bar Code 5099414860343		
Outer Bar Code n/a		
Ti x Hi 7 x 6		



# **Evo-Stik Carpet Adhesive**

- Adheres all types of foam backed carpets, underfelt and re-fixes loose carpet tiles
- Can also be used to adhere flexible foams, fabrics, cork and felt
- Adjustable nozzle for maximum control

500ml		
Code 30812304		
Carton Quantity 6		
Inner Bar Code 5000403101767		
Outer Bar Code 5010591254619		
Ti x Hi 35 x 4		



#### Evo-Stik Technik 918 Primer

- For Professional Use
- · Absorbent Backgrounds
- Can be Used over areas of Underfloor Heating
- Excellent Coverage
- Single Coat Application

5 Ltr	1 Ltr
Code 30812588	Code 30814241
Carton Quantity n/a	Carton Quantity n/a
Inner Bar Code 5099414506425	Inner Bar Code
Outer Bar Code n/a	Outer Bar Code n/a
Approx Coverage 50m²	Approx Coverage n/a