


www.kilsaran.ie | www.kilsaraninternational.co.uk



Kilsaran
home

PAVING & WALLING
VOLUME 7

OUR PROMISE AND GUARANTEE

We are passionate about the quality of our products. Our Quality and Production team are committed to ensuring that each and every product in our range is structurally sound and meets the most stringent quality standards. We promise, that with normal usage, our products will last for at least 25 years from the date of purchase. We promise that if our products do not meet this criteria, we will replace the product free of charge.

Our Product Promise is personal to the end-user and as such is non-transferable. It is limited to the product and does not cover installation defects or consequential losses. Whilst the Product Promise confers no rights other than those expressly stated, your statutory rights as a consumer are not affected.



Showroom

CONTENTS

INTRODUCTION

State-of-the-art Facilities	02
Sustainability & the Environment	03
Eco Product Range	03
Design Clinic	04
Student Garden Competition	05

DIARMUID GAVIN PAVING COLLECTION

Tie-Stone	07
Belvedere	08
Old Priory Flags	09
Cambridge Flags	10
Cambridge Circles	11
Oakstone & Stepstone	12
Connemara Walling	13
Connemara Capping	14

FLAG PAVING

Shelbourne Flags	15
Newgrange Flags	16
Killeen Flags	17
Cashel Flags	18
Classic Flags	19

BLOCK PAVING

Corrib Blocks	21
Newgrange Blocks	22
Newgrange Setts and Cobbles	23
Mellifont Blocks	24
Mellifont Setts	25

BLOCK PAVING (Cont)

Lismore Blocks	26
Lismore Setts & Circles	27
Inish Blocks	28
Slane Blocks	29

WALLING

Causeway Walling	30
Cooly Walling	31

KERBS & EDGINGS

Kerb Sett	32
Kerb Block	33
Lismore & Mellifont Kerb Stone	34
Tara Kerb	35

ACCESSORIES


Gravel Stabiliser	36
Recessed Manhole Cover	36

DECORATIVE STONE

Decorative Stone	37
------------------	----

INSTALLATION & PRODUCT CARE

Laying Flag & Block Paving	39
Sands, Sealers & Product Care	40-41
Disclaimers	42
Technical Data	43
Kilsaran Home Showroom Gardens	43



Kilsaran
home

STATE-OF-THE-ART FACILITIES

Kilsaran's manufacturing plant in Dunboyne, County Meath is one of the most modern of its kind anywhere in the world. But we're not resting on our laurels. We have a purpose-built high-tech lab for quality testing and assurance.

Quality is paramount to us. We are so confident of the quality of our products that we provide a 25 year guarantee on your purchases, subject to normal usage.

QUALITY SYSTEMS AND CERTIFICATION

INAB ISO 17025 (UKAS equivalent).
A separate R&D facility ensures continuing expansion of our product range.
"Ideas taking shape" isn't just our motto – it's our passion.

We are also committed to innovation in sustainability issues and now offer a range of eco-products.



Sustainable development plays a central role in all that we do.

We are fully committed to compliance with all relevant legislation, prevention of pollution and continuous improvement in all areas of environmental management in all of our operations and activities.

We have implemented Environment and Planning Management Systems (EMS) into our day-to-day operations and employ professionals in Environment and Planning to help us lead the way in environmental management.

Our goal is to minimise the environmental impact of our business and, where possible, provide environmental benefits to all our stakeholders by recycling, reusing and creating new innovative systems, products and sales routes.

We are committed to working towards the management guidelines as set out in accordance with ISO 9001, ISO 14001 and ISO 50001 to provide the best working environment for our employees and local communities. We aim to fulfill these requirements while still continuing to meet the requirements of our stakeholders.



ECO PRODUCT RANGE

'Major investment in our manufacturing facilities has allowed Kilsaran to develop one of the leading manufacturing plants in Europe and supports our policy on sustainability.'

This means we are now able to offer a range of eco-products that will benefit the whole industry.

All products in our Eco Paving ranges contain 100% recycled water, locally sourced materials, a minimum of 25% non-primary aggregates, up to 10% pre-consumer aggregate replacement and 50% cement replaced with a carbon neutral cement replacement. We have one of the largest ranges of Eco products within the industry.



CARBON FOOTPRINT

When evaluating the carbon footprint of our paving products, our technical team can provide project specific information and calculated carbon footprint.

Contact our team if you require further guidance on info@kilsaran.ie



FOR ALL OUR LATEST NEWS & OFFERS LOG ON TO KILSARAN.IE OR KILSARANINTERNATIONAL.CO.UK



Before



After

DESIGN CLINIC

Come chat with us!

With an extensive choice of textures, colours and shapes to choose from it's hardly surprising that you might find it more than a little daunting to bring the vision of your garden or patio to life. A well designed space will not only give you years of satisfaction but also add value to your home.

The good news is that we have a team of qualified, creative and inspired designers who would love to help your ideas take shape.



FREE DESIGN DAYS

Let the Kilsaran Team create a design for you that will transform your garden into an outdoor living space. Over the course of the year we will run a number of free landscape design days that will allow you to pre-book a 30 minute design slot with one of our garden designers who will advise you on layout, planting, materials and installation of your new garden.

Check www.kilsaran.ie for more details and a full list of dates for these design days.



Our in-house Head Designer Mark Harewood graduated from the University of Ulster with a HND in Architectural Technology in 1992. Before joining Kilsaran in 2011 Mark worked for several large architectural practices in the UK producing traditional architectural presentation and construction drawings before specialising in 3D Architectural visualisations and graphics.



FOR ALL OUR LATEST NEWS & OFFERS LOG ON TO KILSARAN.IE OR KILSARANINTERNATIONAL.CO.UK



STUDENT GARDEN COMPETITION



Manon Bordet Chavanes was the lucky winner of the most recent Kilsaran Student Garden Competition run in conjunction with Peter McVerry Trust.

As part of her prize Manon a student of the Landscape Design Academy of Dublin will see her garden brought to life for the Peter McVerry Trust as well as receiving a substantial cash prize.

Manons task was to design a garden for one of Peter McVerry Trusts homeless facilities in Athy, Co. Kildare. Diarmuid Gavin was the head judge on the panel and was joined by members of the Kilsaran design team when picking the winner.

Diarmuid Gavin expressed his delight at the calibre of designs that were submitted to the competition, *"We're delighted for all the finalists, especially Manon. Judging this year's competition was so difficult. The standard was exceptional. There was very little between first and fourth. We just felt Manon's design would be more sustainable and timeless for the people the McVerry Trust will be helping."*

DESIGN LANDSCAPE PLAN
(hard and soft plans combined)

A Living Garden



Kilsaran are delighted to be in a position to support such a worthy case and will work with Peter McVerry Trust to create a garden the captures Manons design while also providing a welcoming space for the new inhabitants of the facility.



FOR MORE INFORMATION GO TO
[HTTP://WWW.KILSARAN.IE/](http://www.kilsaran.ie/), OR ON TWITTER AND
FACEBOOK @KILSARAN.

DIARMUID GAVIN PAVING COLLECTION



Kilsaran Home are delighted to present an exclusive paving collection in collaboration with renowned International garden designer Diarmuid Gavin. The range comprises an exclusive collection of paving products and accessories that will provide a complete makeover solution for the keen gardener or DIY enthusiast.

Diarmuid Gavin



FOR ALL OUR LATEST NEWS & OFFERS LOG ON TO
KILSARAN.IE OR KILSARANINTERNATIONAL.CO.UK

TIE-STONE

Tie-stone is a versatile new paving block designed by Diarmuid Gavin.

The paving block is designed to have increased interlocking capabilities so that it can be used on patios, pathways or driveways to wonderful effect. The flexibility in applications is down to its clever bow-tie shape and makes installation very simple.



Silver Granite



Black Granite

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Tie-Stone (Shotblasted)	400 x 100/75 x 80	Silver Granite, Black Granite	28	6.72	192	8	1100

BELVEDERE



With a riven surface and irregular edges, the Belvedere range is full of old world charm. Coming in a pack of four distinct sizes, the range perfectly recreates the feel of an old abbey, cathedral or courtyard.



Silver Granite



Black Granite



Slate



Curragh Gold



Rustic



Buff



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	No Layers	Approx Bale Weight (Kg)
Belvedere	(4 size mix only)	Rustic, Curragh Gold, Buff, Slate	n/a	9.6	70	n/a	10	1270
	200 x 200 x 60							
	400 x 200 x 60							
Belvedere (Curled)	400 x 400 x 60	Silver Granite, Black Granite	n/a	9.6	70	n/a	10	1270
	600 x 400 x 60							



Just to note...

- For effective jointing leave a gap of 5mm between flags when laying.
- The Old Priory range is produced with a natural colour variation to mimic natural stone.

OLD PRIORY



Designed to mimic the look of natural sandstone, Old Priory is a great choice if you are inspired by the look of times past. Great in gardens as patios, paths or just laid casually as stepping stones. Old Priory comes in single size packs and pre-designed patio packs.



Ivory

Charcoal

Antique Grey

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	No Layers	Approx Bale Weight (Kg)
Old Priory	400 x 400 x 38	Ivory, Charcoal, Antique Grey	6.25	7.68	48	n/a	12	624
	600 x 400 x 38	Ivory, Charcoal, Antique Grey	4.16	11.52	48	n/a	12	930
	600 x 600 x 38	Ivory, Charcoal, Antique Grey	2.77	8.64	24	n/a	12	700
	Half Pack	Ivory, Charcoal, Antique Grey	N/A	4.8	20	n/a	6	416.66
	Full Pack	Ivory, Charcoal, Antique Grey	N/A	9.6	40	n/a	11	833.33

CAMBRIDGE



The Cambridge range of patio and garden flagstones perfectly recreates the look and feel of classic limestone slabs. Cambridge comes in single size packs and pre-designed patio packs.



Just to note...

- For effective jointing leave a gap of 5mm between flags when laying.
- The Cambridge range is produced with a natural colour variation to mimic natural stone.



Ivory



Charcoal



Antique Grey



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	No Layers	Approx Bale Weight (Kg)
Cambridge	300 x 300 x 38	Ivory, Charcoal, Antique Grey	11.11	6.48	72	n/a	9	700
	600 x 300 x 38	Ivory, Charcoal, Antique Grey	5.55	8.64	48	n/a	12	700
	600 x 600 x 38	Ivory, Charcoal, Antique Grey	2.77	8.64	24	n/a	12	700
	Half Pack	Ivory, Charcoal, Antique Grey	N/A	4.86	26	n/a	7	414
	Full Pack	Ivory, Charcoal, Antique Grey	N/A	9.9	54	n/a	9	843.75

CAMBRIDGE CIRCLE



Our Cambridge circular pattern has been created to recreate the look of classic limestone flags with a stylish twist. The availability of a squaring-off kit makes it ideal as a seating area, or for inclusion in a larger outdoor area.




Ivory



Charcoal



Antique Grey



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Cambridge Circles	2.4 diameter	Ivory,	n/a	4.52	25	n/a	380
	2.4 + 50K* (2.7)	Charcoal,	n/a	7.3	37	n/a	620
	1.5 diameter	Antique Grey	n/a	1.766	9	n/a	128.2

* Squaring off Kit

OAKSTONE

Create your own magical garden with pathways giving both your feet and eyes a way to wander. Oakstone and Stepstone range are available in a number of designs and colours and perfect for paths, patio's, edging, a raised bed or scattered casually around the garden.



Charcoal Weathered Grey Brown



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Oakstone	800 x 220 x 50	Charcoal, Weathered Grey, Brown	n/a	5.68	n/a	n/a	n/a

STEPSTONE



Charcoal



Antique Grey



Ivory

VINTAGE STEPSTONE



Charcoal



Ivory



Antique Grey



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Stepstone (Old Priory)	600 diameter	Ivory, Charcoal, Antique Grey	n/a	n/a	n/a	n/a	n/a
Stepstone (Cambridge)	600 diameter	Ivory, Charcoal, Antique Grey	n/a	n/a	n/a	n/a	n/a
Vintage Stones	550 x 400 x 40	Ivory, Charcoal, Antique Grey	n/a	n/a	n/a	n/a	n/a

CONNEMARA WALLING



A rustic effect decorative walling system, Connemara is perfect when designing either an old world garden or something a little more modern. This versatile walling system doesn't require mortar and can be easily glued together once the first row of walling is securely laid in concrete or mortar.



Connemara Walling comes in a 3 size mix and is available in a range of colours and finishes. Used as a decorative wall, for raised beds, barbecues or as part of an informal seating area Connemara is the ideal choice.



Tan/White



Natural



Curragh Gold



Rustic



Raven/White



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Connemara (Split)	3 size x 75	Raven /White,	n/a	4	210	10	1280
	3 size x 150	Natural,	n/a	4	105	5	1280
Connemara (Split - Aged*)	3 size x 75	Curragh Gold,	n/a	4	210	10	1280
	3 size x 150	Tan/White, Rustic	n/a	4	105	5	1280

*Full packs only in bags

CONNEMARA CAPPING



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Wall Cappings	600 x 200 x 63	Raven/White, Natural, Curragh Gold, Rustic	n/a	n/a	80	10	1090
	600 x 280 x 63		n/a	n/a	60	10	1090
Pier	550 x 550 x 75	Raven/White, Curragh Gold	n/a	n/a	20	10	1090



PAVING FLAGS

SHELBOURNE FLAGS

NEWGRANGE FLAGS


KILLEEN FLAGS

CASHEL FLAGS

CLASSIC FLAGS

SHELBOURNE FLAGS

The ground surface of Shelbourne gives this range a sophisticated feel and eye-catching look. A choice of colours and sizes means that the Shelbourne range can work in any landscape design.



Silver Granite



Black Granite



Buff Granite

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Shelbourne (Ground)	400 x 400 x 40	Silver Granite, Black Granite, Buff Granite	6.25	13.44	84	14	1215
	400 x 400 x 50	Silver Granite, Black Granite	6.25	11.52	70	12	1215
	450 x 450 x 50	Silver Granite, Black Granite	4.94	11.34	56	14	1010
	600 x 300 x 50	Silver Granite, Black Granite	5.55	11.88	66	11	1175
	600 x 400 x 50	Silver Granite, Black Granite	4.16	11.52	48	12	1215
	600 x 600 x 50	Silver Granite, Black Granite	2.77	10.8	30	15	1180

NEWGRANGE FLAGS

With a subtle textured finish and a choice of colours and sizes the Newgrange flagstone range is a favourite for those looking to create an inspired look with an elegant and contemporary feel.



Silver Granite

Black Granite

Buff Granite



Jointing Sand
You must use Kilsaran Silver Granite Jointing Sand with our Silver Granite Products.



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Newgrange Flags (Shotblasted)	400 x 400 x 40	Silver Granite, Black Granite, Buff Granite	6.25	13.44	84	14	1215
	400 x 400 x 50	Silver Granite, Black Granite, Buff Granite	6.25	11.52	72	12	1215
	450 x 450 x 50	Silver Granite, Black Granite, Buff Granite	4.94	11.34	56	14	1010
	600 x 300 x 50	Silver Granite, Black Granite, Buff Granite	5.55	11.88	66	11	1175
	600 x 400 x 50	Silver Granite, Black Granite, Buff Granite	4.16	11.52	48	12	1215
	600 x 600 x 50	Silver Granite, Black Granite, Buff Granite	2.77	10.8	30	15	1180



FOR ALL OUR LATEST NEWS & OFFERS LOG ON TO
KILSARAN.IE OR KILSARANINTERNATIONAL.CO.UK


KILLEEN FLAGS



A choice of surface finishes, including standard and shotblasted, give the Killeen range a sophisticated and eye-catching look. The Killeen range is suited to pedestrian and light traffic driveway use with appropriate sub-base in place.



Inspiration...
Killeen flags are ideal for driveways and patios.



Silver Granite



Slate




Black Granite

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Killeen (Standard)	(4 size-mix only)	Slate	n/a	7.56	72	9	1180
	340 x 260 x 70						
Killeen (Shotblasted)	390 x 260 x 70	Silver Granite, Black Granite	n/a	7.56	72	9	1180
	410 x 260 x 70						
	460 x 260 x 70						

CASHEL FLAGS

Perfect for patios. Cashel paving flags have a surface effect that replicates the rustic appeal of natural stone.



Natural



Charcoal



Gold



Just to note...

Our Lismore Kerb Stone comes in a matching selection of colours and complements the range perfectly.



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Cashel	400 x 400 x 40	Charcoal, Gold, Natural	6.25	13.44	84	14	1180



CLASSIC FLAGS

The original patio paving flags are as popular today as they have always been. Easy to install with a large selection of colours and sizes makes this range a perennial favourite.



Natural



Charcoal




Buff



Curragh Gold



Rustic



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Classic Flags (Smooth)	400 x 400 x 40	Natural, Charcoal, Buff, Curragh Gold, Rustic	6.25	13.44	84	14	1180
	400 x 400 x 50	Natural, Charcoal, Buff, Curragh Gold, Rustic	6.25	11.52	72	12	1215
	450 x 450 x 50	Natural, Charcoal, Buff, Curragh Gold, Rustic	4.94	11.34	56	14	1010
	600 x 300 x 50	Natural	5.55	8.64	48	8	1175
	600 x 400 x 50	Natural, Charcoal, Buff, Curragh Gold	4.16	11.52	48	12	1215
	600 x 600 x 50	Natural, Charcoal, Buff, Curragh Gold	2.77	10.8	30	15	1180

PAVING BLOCKS

CORRIB BLOCKS

NEWGRANGE –
BLOCKS AND SETTS

MELLIFONT –
BLOCKS AND SETTS

LISMORE – BLOCKS,
SETTS AND CIRCLES

INISH BLOCKS

SLANE BLOCKS





CORRIB BLOCKS



The smooth surface finish and subtle bevelled edge of the Corrib range makes it an ideal choice for driveway paving. With a large colour palette to choose from there is sure to be a perfect match for your home. This product is also available shot blasted in Silver and Black Granite.



Silver Granite



Black Granite




Charcoal



Curragh Gold



Rustic



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Corrib 50mm (Standard)	210 x 170 x 50	Rustic, Curragh Gold, Charcoal	28	11	308	11	1250
Corrib 50mm (Shot-Blast)	210 x 170 x 50	Silver Granite, Black Granite	28	11	308	11	1250
Corrib 60mm (Standard)	210 x 170 x 60	Rustic, Curragh Gold, Charcoal	28	9	252	9	1220
Corrib 60mm (Shotblasted)	210 x 170 x 60	Silver Granite, Black Granite	28	9	252	9	1220

NEWGRANGE BLOCKS



The subtle granite textured surface of the Newgrange range combined with inspiring colours make it stand out from the crowd. These blocks are available in a three size mix with a choice of depths. The range also includes setts and circles.



Jointing Sand

You must use Kilsaran Silver Granite Jointing Sand with our Silver Granite Products.



Silver Granite

Black Granite

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Newgrange 3 Size Mix (Shotblast)	3 Size x 50	Silver Granite, Black Granite	35	11.52	420	12	1200
	3 Size x 60		35	9.6	350	10	1205
Newgrange 60mm (Shotblast)	240 x 160 x 60	Silver Granite, Black Granite	27	9.6	260	10	1205



NEWGRANGE SETTS & COBBLES



Silver Granite



Black Granite



Buff Granite

Lightly textured premium granite finish sett and cobble paving. Available in three colour finishes. Suitable for use on patios, pathways and domestic driveways.

Setts come in six-size mixed bales.



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Newgrange 60mm Setts	6 Size x 60	Silver Granite, Black Granite, Buff Granite	108	9.24	1140	11	1175
Cobbles	100 x 100 x 60	Silver Granite, Black Granite, Buff Granite	100	8	800	10	1020

MELLIFONT BLOCKS

With its edges and surface gently worn, the Mellifont range is ideal when creating a rustic or worn look. Coming in a choice of colours, paving blocks are available in a three size mix whilst setts come in a six-size mix.



Natural



Charcoal



Slate



Curragh Gold



Rustic



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Mellifont 3 Size Mix (Antiqued)	3 Size x 50	Rustic,	35	11.52	420	12	1200
	3 Size x 60	Charcoal,	35	9.6	350	10	1205
Mellifont 60mm (Antiqued)	240 x 160 x 60	Curragh Gold, Natural	27	9.6	260	10	1205



MELLIFONT SETTS

Weathered and rustic looking premium granite finish sett paving. Available in three colour finishes. Suitable for use on patios, pathways and domestic driveways. Setts come in six-size mixed bales.



Charcoal



Curragh Gold



Rustic



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Mellifont Setts	6 size x 60	Charcoal, Rustic, Curragh Gold	108	9.24	1140	11	1175

LISMORE BLOCKS

A contemporary range coming in a large selection of colours and sizes, Lismore is a popular choice. Sharp lines and a smooth surface finish make it a stylish addition to any design concept.



Natural




Charcoal



Curragh Gold



Rustic



Just to note...
Our Lismore Kerb Stone comes in a matching selection of colours and complements the range perfectly.



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Lismore 3 Size Mix (Standard)	3 Size x 50	Rustic,	35	11.52	420	12	1200
	3 Size x 60	Charcoal,	35	9.6	350	10	1205
Lismore 60mm (Standard)	240 x 160 x 60	Curragh Gold, Natural	27	9.6	260	10	1205



LISMORE SETTS & CIRCLES

The Lismore range also includes circles and setts which come in a six-size mix and are ideal for creating curves and extending circles.



Charcoal



Curragh Gold



Rustic



Charcoal



Curragh Gold



Rustic

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Lismore Circles	2.1 Diameter 60	Charcoal, Rustic, Curragh Gold	n/a	n/a	n/a	4	450
Lismore Setts	6 size x 60	Charcoal, Curragh Gold, Rustic	108	9.24	1140	11	1175

INISH BLOCKS

Inish is a landscape designer's dream. Wonderfully versatile, it is used not only in patios, paths and driveways in a variety of laying patterns but also as edging and borders. Inish is available in a standard or tumbled finish. They can be laid as risers for steps on the straight edge or the round edge.



Rustic



Charcoal



Curragh Gold



Rustic (Aged*)



Charcoal (Aged*)



Curragh Gold (Aged*)



Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Inish (Standard)	200 x 50 x 60	Charcoal, Curragh Gold, Rustic	100	9	900	10	1060
Inish (Aged*)	200 x 50 x 60	Charcoal, Curragh Gold, Rustic	100	9	900	10	1060

*Full packs only in bags



SLANE BLOCKS

A design classic, Slane will never go out of fashion. Its popularity lies in its ease of installation, large choice of colours and in its shape, which allows different patterns to be created. It is these patterns that provide interlocking strength, making Slane ideal for driveways.



Inspiration
Slane is perfect as a border so why not mix and match with our other ranges to create a unique look for your driveway or patio.



Natural



Charcoal



Curragh Gold



Red



Rustic



Brindle

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Slane	100 x 100 x 60	Rustic, Charcoal, Brindle, Curragh Gold, Natural, Red	100	8	800	10	1020
	200 x 100 x 50		50	9.6	480	12	1020
	200 x 100 x 60		50	9.6	480	12	1060

WALLING

CAUSEWAY WALLING

Causeway walling comes in a range of heights to create a dramatic contemporary border to any garden or flower bed.



Raven/White

Curragh Gold



Product Range	Dimensions (mm)	Colours	LM per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Causeway 3 Size Mix	825 x 150 x 150	Raven White, Curragh Gold	5.2 lm	35	5	n/a
	625 x 150 x 150 525 x 150 x 150		7.5 lm	50	5	n/a

COOLEY WALLING

Great for houses and in gardens, the Cooley range of walling bricks will add something special to your home. A choice of colours and finishes ensures these bricks fit perfectly with any of our paving or other walling ranges.



Charcoal



Rustic



**We Recommend Our...
Pre-mixed Coloured Mortars**
Coordinate your look with Ireland's largest selection of pre-mixed mortars from our award-winning range. See inside back cover for contact details..

Product Range	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Cooley (Standard)	215 x 100 x 65	Charcoal, Rustic	72	5.55	400	10	1160
Cooley (Rumbled)	215 x 100 x 65	Charcoal, Rustic	72	5.55	400	Bag	1130

KERBS AND EDGINGS

KERB SETTS

KERB BLOCKS

LISMORE KERB STONE

MELLIFONT KERB STONE

TARA KERB

KERB SETT

Kerb sett unit which can be laid either high rise or low rise profile to give a different appearance. Corners are not available for this product.



Charcoal



Product Range	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (Kg)
Kerb Sett	190 x 160 x 100	Charcoal	10	20	200	8	1135

KERB BLOCK

Kerb block unit with bullnose profile. External corners available for high rise installation.



Charcoal



Product Range	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (Kg)
Kerb Block	200 x 127 x 100	Charcoal	10	24	240	8	1225

LISMORE KERB STONE

A smooth kerb with clean lines that will add a contemporary feel to any paving or garden.



Natural

Rustic

Charcoal

Curragh Gold

MELLIFONT KERB STONE

A more traditional style kerb with a rumbled finish for that old world period look.



Natural

Rustic

Charcoal

Curragh Gold



Lismore Kerb



Mellifont Kerb

Just to note...
These kerbs are the perfect edging to our Lismore and Mellifont block paving.



TARA KERB

A textured kerb with a rugged finish that creates a distinctive look. The size and shape of Tara Kerbs makes them ideal for driveways.



Black Granite



Silver Granite

Product Range	Dimensions (mm)	Colours	Pcs per m ²	linear metres per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Lismore Kerb	190 x 160 x 100	Natural, Rustic, Charcoal, Curragh Gold	5.25	n/a	168	6	1100


Product Range	Dimensions (mm)	Colours	Pcs per m ²	linear metres per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Mellifont Kerb	190 x 160 x 100	Natural, Rustic, Charcoal, Curragh Gold	5.25	n/a	175	7	1140

Product Range	Dimensions (mm)	Colours	Pcs per m ²	linear metres per Bale	Pcs per Bale	No Layers	Approx Bale Weight (Kg)
Tara Kerb 125	915 x 250 x 125	Silver Granite, Black Granite	0.915	14.64	16	4	1010

ACCESSORIES

GRAVEL STABILISER


Nidagravel gravel stabiliser ensures driving, walking, cycling and wheeling a bicycle, wheelchair, pushchair or pram across gravel are no longer a problem. The gravel is laid in honeycombs which keep it in place and prevent it from moving or migrating. Ugly ruts, puddles and potholes are a thing of the past.



Available in ROI only

RECESSED MANHOLE COVER

Recess manhole covers will add an aesthetically pleasing appearance to your new driveway or patio.



Available in ROI only

DECORATIVE STONE

Decorative stone is perfect when creating informal garden paths, separating landscaped areas or simply adding colour. There's no need to 'square off' patios when you can use decorative stone to create a relaxed and informal feel to the space. Available in small or standard bulk bags.

Range correct
at time of print*

*Available in Republic of Ireland only.



Belmont – 10mm



Scottish Cobbles
– 20/30mm



White Marble – 10mm



Wicklow Granite – 14mm



Black & White Marble
– 10mm



Golden Flint – 20mm



Plum Slate – 40mm



Donegal Quartz – 20mm



Pink Granite – 20mm



Plumstone – 20mm



Clonard Gold – 20mm




Ballykane – 20mm



Curragh Pebble
– 20mm



Beach Pebble – 14mm



Castletown–10mm

INSTALLATION AND PRODUCT CARE

.....

LAYING FLAG PAVING

LAYING BLOCK PAVING

SAND, SEALERS
AND PRODUCT CARE

PRODUCT GUIDES

DISCLAIMERS

TECHNICAL DATA

KILSARAN SHOWROOMS
AND GARDEN



LAYING FLAG PAVING



A sand/cement bedding mix is used as the laying course and this is screeded off to the correct levels. We recommend the use of our pre-mixed Patio Bedding Mix (in 25kg bags) for domestic patio areas.



Using a spirit level and a pavior maul, ensure that the flags are laid evenly.



The jointing material (Kilsaran Jointing Sand) is carefully swept into the joints.



Sealing and regular maintenance will keep your new paving flags looking great.

LAYING BLOCK PAVING



The laying course is normally a natural clean sharp gritty sand, laid moist in a 30–50mm layer and screeded off to correct levels. Alternatively, a clean grit may be used.



The jointing material (Kilsaran Jointing Sand) is carefully swept into the joints.



An appropriate plate compactor is used to compact the paving blocks fully. Any joints not full after compaction is complete are topped up by sweeping more sand into them.



Sealing and regular maintenance will keep your new paving blocks looking great.

CHECKLIST:

- Check how long the company has been laying paving products.
- Ask for some recent references of work undertaken. A reputable contractor will be delighted to show off recent work. Don't be too embarrassed to make a phone call or call in person to a previous customer – either way, you won't regret it.
- Ask for a written quotation before work commences and make sure you go through it in detail. Ask questions such as if skip hire and jointing sand is included?
- Check if the contractor has the appropriate liability insurance.
- A reputable contractor will expect their work to be of the highest standard and to last accordingly. They should have no problem guaranteeing it – so ask them to.
- While Kilsaran make every effort to ensure we only recommend the best paving and walling contractors, Kilsaran will not guarantee the workmanship of any paving contractor or offer any warranty against their work, nor will we accept any liability for any loss or damage suffered as a result of engaging recommended contractors.

Please Note!

Please be advised that flags should be lifted straight off the piece beneath as they are liable to scratches when dragged along the surface. Some of our larger sized flags can weigh up to 40kg/piece and we would recommend lifting them from the pallet with two people rather than one to ensure there is minimum surface scratching.

SANDS, SEALERS AND PRODUCT CARE

Pre-Mixed Products

Our range of easy-to-use pre-mixed products come in handy bags and are ideal for home use;

- **Patio Bedding Mix, for laying paving flags**
- **Sand & Cement Mix, for general purpose use**
- **Post 10, for fixing all types of posts**
- **Rapid-Setting Concrete, for haunching kerbs**

Our range of Jointing Sands are also available in handy bags and can coordinate with our entire range.



Kilsaran pre-mixed products in handy bags



Brown Jointing Sand



Silver Jointing Sand

Sealer

We recommend that you protect your investment with our enviro-friendly sealer.

Our sealer offers all-round protection. It is a water-based impregnating treatment for concrete paving units. Without changing the colour or texture of the surface it provides a liquid and oil resistant surface. Ideal for use on driveways, patios and paths as it protects surfaces from weathering and helps keep them cleaner by resisting penetration of:

- **Water**
- **Air-borne dirt**
- **Food stains**
- **Drinks**
- **General dirt**
- **Oil and grease stains**
- **Chewing gum**
- **Organic growth (moss & lichens)**



Sealer – Clear 1ltr and 5ltr

In addition to limiting the appearance of efflorescence, sealer also reduces spalling through repeated freeze/thaw cycles. A properly sealed surface will make maintenance of the area much easier with reduced need for weed killers and power washing equipment. Requirement for cleaning is significantly reduced, leaving you to enjoy your home and garden!

PRODUCT CARE

General Dirt & Colour Masking

General dirt can be removed and kept away by regular brushing. When dirt has become somewhat ingrained onto the surface of the paving or if the paving has become dull or discoloured, then scrubbing with soap and warm water will usually restore the surface. However some dulling of colour and ageing of the product is to be expected over time. Please be careful when choosing your colour pallet for a driveway as some colours may be subject to staining from vehicular traffic.

When a power-hose is used for cleaning paved surfaces it is important to note that this is likely to remove some of the jointing material which will need to be replaced. Excessive power-washing can also damage the surface of the paving.

Moss, Lichens and Algae Growth

The growth of moss, lichens or algae usually only occurs on paved areas which are not regularly trafficked by vehicles/ pedestrians, and where there is shading or insufficiently drained paving. Where growths of this kind are encountered there are several commercially available patio and paving cleaners that can be found in local DIY Stores and Garden Centres.

The patio and paving cleaner should be used strictly as per the manufacturer's instructions and carefully applied as directed. Many of these cleaning agents are designed to inhibit the re-growth of moss, lichen, algae and weeds. In situations where re-growth is likely, more frequent use of such cleaning agents may be required.

Please note: Pets and children should be kept clear from areas treated with chemical based cleaners as they may contain harmful ingredients. Always follow the manufacturer's instructions.



Disclaimer: This information serves as a guideline only. Kilsaran does not accept responsibility for damage or colour leaching/fading caused by the use of third party cleaning or detergent chemicals when used on our paving products.

As concrete paving is made from naturally occurring aggregates some slight and normal colour variation may occur. Efflorescence may occur as a naturally occurring phenomenon when temporary white stains may appear on the paving surface. Kilsaran cannot accept responsibility for these natural occurrences.

DISCLAIMERS/IMPORTANT INFORMATION

This Brochure

This brochure was printed in January 2018 and the information within it supersedes all previous brochures. We have taken every reasonable precaution to ensure that all details contained in the brochure are accurate. We are an innovative company and we seek to develop our product ranges and product lines on an ongoing basis. We recommend that you check online or by calling us to ensure that you have the most up-to-date product information to hand.

Our Paving Products

When our product is delivered and before it is laid, the customer should satisfy themselves that the product is free from defects or damage. Any product failing to meet the product specification will be replaced as per our product promise. Our product promise relates strictly to the product only. Kilsaran cannot accept liability for replacement installation costs and/or delays incurred as a result of product that is defective or damaged which is laid. Any defects must be notified to Kilsaran immediately and any breakages must be reported within 72 hours of delivery.

Scuff and Scratches

Small scuffs or scratches on the surface of our paving products may arise during transportation, handling of the product on site or compaction. Please be advised that flags should be lifted straight off the piece beneath as they are liable to scratches when dragged along the surface. These scratches are quite normal and will disappear over time. They do not affect the integrity of the product in any way.

Efflorescence

Efflorescence is a naturally occurring phenomenon when temporary white stains may appear on the paving product surface. This is inherent in concrete products, this is not a product defect. Over time, these stains are gradually washed away by rain and weathering. Kilsaran cannot accept responsibility for these natural occurrences.

Colour Illustrations

Through the use of the most modern photographic techniques available we endeavour to ensure that the colour illustrations of our paving products in this brochure are as accurate as possible. We do recommend that any final decision is based upon viewing a sample of the product. These samples can be provided by paving centres stocking our product, your laying contractor or at our Display Showrooms in Dunboyne, County Meath.

Colours and Blending

Kilsaran uses high-quality photo stable iron oxide pigments to create the various colours in the paving products range. As with all concrete products, our paving products may be subject to slight colour variation due to the natural variation in raw materials used and from weathering over time. These are natural occurrences inherent in all concrete products, Kilsaran cannot accept responsibility for these natural occurrences.

When laying, in order to achieve an even blend of colour, it is essential to work equally from a minimum of three packs, laying evenly from each. It is essential to measure the area to be paved accurately allowing for waste. The full quantity of required product should be advised to Kilsaran so that we may deliver as one batch. Additional material subsequently ordered may delay the completion of your project and may be from a separate production batch and there may be a shading difference.

Structural Integrity

Some of our paving products have been deemed suitable for driveways, this refers to the structural integrity of the product to withstand the weight of vehicular traffic. Please be careful when choosing your colour pallet for a driveway as some colours maybe subject to staining from vehicular traffic and Kilsaran are in no way responsible for this should it occur.

Returned Products

Kilsaran does not accept returns on any materials.

Commitment to Customer Satisfaction

We strive to provide the best products in the market backed up by superior customer service. If our products or service do not meet your expectations please contact us.

Special Orders

The colour swatches displayed in this brochure best reflect our most popular colours within specific product ranges at the time of going to print. It may be possible to produce these products in other colours not displayed on the relevant swatch depending on the order volume. Kilsaran reserves the right to refuse to manufacture products in specific colours. Special colours may be subject to greater lead time than standard stock colours.

TECHNICAL DATA

Product	Manufacturing Specification	Site Design Specification	Installation Specification
Paving Blocks	EN 1338	BS 7533 Part 1 or 2	BS 7533-3
Paving Flags	EN 1339	BS 7533-8	BS 7533-4
Kerbs	EN 1340	BS 7533-6	BS 7533-6
Ashford & Cooley Walling	EN 771-3	IS 325 and Eurocode 6	IS 325 and Eurocode 6
Connemara Walling	EN 13198	IS 325 and Eurocode 6	IS 325 and Eurocode 6

PRODUCT STANDARDS AND SPECIFICATIONS

We manufacture our products in a strictly controlled environment to the relevant national and European specifications.

KILSARAN HOME SHOWROOM GARDENS



Our stockists will be happy to give you advice, show you samples and deliver to your door. Log on to our website and check out our list of stockists. Our award-winning Display Gardens & Showroom is open 6 days during the Spring, Summer and Early Autumn and 5 days during the Winter months. For our current opening hours please visit us online.




FOR ALL OUR LATEST NEWS & OFFERS LOG ON TO
KILSARAN.IE OR KILSARANINTERNATIONAL.CO.UK



GET IN TOUCH

Kilsaran International ROI Sales Enquiries/Design Services

Locall: 1890 92 99 92
ROI: Call 01 802 6390

Display Gardens & Showroom

Piercetown, Dunboyne, Co. Meath, Ireland, A86 W820
Call: 01 802 6300

Coordinates

N53 26 35
W6 28 8

www.kilsaran.ie

Kilsaran UK Sales Enquiries/Design Services


UK: Call 0044 (161) 872 8899

Office

Suite 30
1-3 The Courtyard
Calvin Street
Bolton
BL1 8PB

www.kilsaraninternational.co.uk

This document has been printed using paper from a well managed forest.
© 2018 Kilsaran International



Please Note!

Our award-winning Display Gardens and Showroom is open Monday - Saturday during the Spring, Summer and Early Autumn and Monday - Friday during the Winter months. For our current opening hours please visit us online.



Kilsaran
home



.....
Kilsaran International
Piercetown
Dunboyne
Co. Meath
Ireland
A86 W820

T: 01 802 6300
E: info@kilsaran.ie

kilsaran.ie
.....

Kilsaran International
Suite 30
1-3 The Courtyard
Calvin Street
Bolton
BL1 8PB

T: 0161 872 8899
E: info@kilsaraninternational.co.uk
kilsaraninternational.co.uk
.....

Kilsaran
home

**PAVING &
WALLING**
VOLUME 7