


Tectite

Straight coupling push-fit x push-fit.



Size	Pattern No.	Pack 1 Qty	Pack 2 Qty	Code	Barcode	Price (£) ex VAT
10mm	TT1/TT270	10	300	75500	5022050105868	£2.49
12mm	TT1/TT270	10	200	75660	5022050017833	£2.51
14mm	TT1/TT270	10	150	75661	5022050027825	£2.26
15mm	TT1/TT270	10	150	75501	5022050106391	£1.94
16mm	TT1/TT270	10	150	75662	5022050029300	£2.55
18mm	TT1/TT270	5	100	75663	5022050092496	£2.55
22mm	TT1/TT270	5	100	75502	5022050106919	£2.86
28mm	TT1/TT270	5	50	75503	5022050107220	£6.86



Code	Description	а	Za
75500	10mm TT1/TT270	34	2
75660	12mm TT1/TT270	36	2
75661	14mm TT1/TT270	37	2
75501	15mm TT1/TT270	36	2
75662	16mm TT1/TT270	36	2
75663	18mm TT1/TT270	37	2
75502	22mm TT1/TT270	38	2
75503	28mm TT1/TT270	40	2
Pegler Yorkshire reserve the right to change specifications			

Pegler Yorkshire Tectite Sprint, Classic, Pro and 316 Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Pegler Yorkshire and the final purchaser of the product. When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

25 Years Where Tectite Sprint, Tectite Classic, Tectite Pro and Tectite 316 fittings, Tectite-PEX barrier pipe and 316 System tube are installed in pipelines with products from other manufacturers, they are guaranteed for 25 years.

30 Years Where pipelines are constructed exclusively using Tectite fittings and recommended tubes, the resulting installations will be deemed Tectite Systems and qualify for a 30 year guarantee.

Qualifying systems are:

- Tectite Sprint fittings with Yorkex copper tube and/or Tectite-PEX pipe
- Tectite Classic fittings with Yorkex copper tube and/or Tectite-PEX pipe
- Tectite Pro fittings with Yorkex copper tube and/or Tectite-PEX pipe
- Tectite 316 fittings and stainless steel 316 System tube.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

This is reinforced where valves are covered by the European Pressure Equipment Directive (PED97/23/EC) where Installation, Operating and Maintenance Instructions are supplied with each product and/or carton.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of trouble–free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to installation

or consequential damages.

Tectite Fitting	Tube/pipe used with	Min temperature			Max temperature
Sprint	Copper	-24°C* at 20bar	30°C at 20bar	65°C at 16bar	114°C at 10bar
Sprint	PB/PEX	-20°C* at 12bar	20°C at 12bar	65°C at 6bar	92°C at 3bar

Care

No regular aesthetic care is required for this product

Maintenance

No regular maintenance is required for this product.

For any further help please contact the Service Support Team on: 0800 1560050.

Component	Material
Body	Copper
'O' ring	EPDM
Pipe guide	Glass filled nylon 6
Grab ring	Stainless steel
Protection ring	Nylon

Pegler Yorkshire Group Ltd, St Catherine's Ave, Doncaster, S Yorkshire, DN4 8DF
Telephone: Phone +44 (0) 844 243 4400 Fax: +44 (0) 844 243 9870 Website: www.pegleryorkshire.co.uk
Registered office: Pegler Yorkshire Group Ltd, St Catherine's Ave, Doncaster, S Yorkshire, DN4 8DF Company no: 00401507

Tectite

Flow charts - Head loss/Pressure loss

When used with copper tube

