

Paving & Patios


Create a distinctive look to your garden with our attractive range of paving, an easy way to cover large areas. Why not add instant style to your garden with our Patio Packs? There are many designs and sizes to suit all.



Cathedral Circle



Baroque Oval



Umbria Tiles



Rectory Paving & Circle



Chesia Firestone - Soft shades of Terracotta ideal for indoor and outdoor use

Alfresco Style

Baroque's blended limestone colouring will give that special 'alfresco' feel to any garden and can be complemented with Baroque Oval or Piccolo Oval.

for technical
information see
page 49

Baroque paving - Old Ivory

Baroque

Baroque paving's sleek smooth lines and fine surface make it a very tactile product. Reproduced in three different sizes, it will make any patio stand out. Baroque paving can be used alone to create a beautiful patio area, or mix it up with Baroque Oval, Piccolo Oval or Baroque Rose.



Baroque Rose

Colour

Limestone

Old Ivory

SIZE 2.4m Diameter



Baroque - Old Ivory

Baroque Rose

With the Baroque Rose being the most sought after flooring material, we have skillfully sculpted an organic design feature with beautiful curved lines for the modern contemporary home.

Baroque & Piccolo Oval

A unique shape with a beautiful, light-coloured finish - the Baroque Oval will look great in any style of garden. The Baroque Oval has a specially-blended colouring and a subtle shade. It's large 3.2m width makes it an ideal choice for creating an alfresco dining area. Infills are available allowing you to easily integrate your Oval into Baroque paving.



Baroque Oval

Limestone

SIZE 3.2m²



Colour

Limestone

Old Ivory

for technical
information see
page 49



SIZE 2.4m x 1.4m



Piccolo Oval

Designed for the smaller outdoor space, it's ideal as a stand-alone feature or can easily be integrated into Baroque paving.



Baroque Oval with oval infills



Chalice paving - Honey Brown

Chalice

Our Chalice paving recreates the look and feel of natural stone with a gentle, riven surface.

Chalice is available in three colours - Honey Brown, Mellow Gold and Welsh Slate. All colours combine various hues to produce a stunning, warming blend that recreates the beautiful appearance of natural stone.

Chalice

Welsh Slate

SIZE 2.7m²



Life on the Edge

Our Chalice paving has hand fettled edge detail lovingly crafted on all sides posessing all of the charm of natural flagstones.

Colour

Honey Brown

Mellow Gold

Welsh Slate

for technical
information see
page 53

Chalice Circle

Available in two warming colours and three different size kits, the Chalice circle offers you great flexibility when designing your outdoor space. The larger 2.7m x 2.7m kit comes complete with a single border of Chalice paving and will instantly transform your garden. The 1.8m x 1.8m kit and 1.5m circle are compact enough for even the smallest gardens.



Chalice Circle with Corner Infill

Honey Brown

SIZE 1.8m²



Chalice Circle

Mellow Gold

SIZE 1.5m Diameter



Chalice Circle

Mellow Gold



SIZE 2.7m²

Colour

Honey Brown

Mellow Gold

Welsh Slate



for technical
information see
page 53



Chalice Circle with Chalice paving - Honey Brown

Burren Slate

Burren Slate is a traditional paving, cast from original slate from County Clare and is practically indistinguishable from the real stone. With its fine jointing and detailed surface texture, it constitutes a very cost effective alternative to machine cut slate. The natural surface profile make this paving ideal for steps, pathways and patios.

for technical
information see
page 58



Burren Slate paving



Umbria tiles

Umbria Tiles

Durable light and easy to handle, Umbria tiles are ideal for internal and external projects. Available in a variety of sizes and surface textures.



Parisian

Displaying a range of hand-hewn riven surface profiles and slightly irregular time-worn edges, all created using original natural stone masters to give you a completely authentic appearance.

Parisian paving offers a cost-effective alternative to natural stone. It's weathered shades will mellow with age and add warmth, charm and complete authenticity to any garden. The subtle colour and fine surface texture position this paving at the premium level of the market.



Colour

Parisian
Limestone

for technical
information see
page 54



Parisian paving - Parisian Limestone

Stratford

Stratford authentically captures the elegance of time-honoured paving, making it feel right at home from the moment it is laid.

Beautifully reproduced in a subtle shade and available in a variety of sizes, Stratford is a cost-effective alternative to reclaimed materials.

Simplicity

A carefully chosen aggregate can compliment your choice of paving beautifully.

A Smart Fit

Use all the different sizes wisely and in proportion so that even in a small space the finished project looks smart.

Colour

Antique Grey

for technical
information see
page 54

Stratford paving - Antique Grey

Stratford Octagon

Diligently reproduced and ideal as a stunning stand-alone piece or integrated into any paved area.

The Stratford Octagon patio pack is available in 3 colours, ideal to complement the Stratford and Parisian ranges. The Gold Octagon is available only as a stand-alone feature. All the pieces you need to create the design are included.



Stratford Octagon
Parisian Limestone

SIZE 2.25m x 2.25m

for technical
information see
page 54

The Essentials

We stock a large range of essential products for your garden and outdoor space including Bark, Topsoil, Sand, Cement and Mortar.

Colour

Antique Grey

Parisian Limestone

Gold



Stratford Octagon - Antique Grey

Cathedral

The Cathedral paving range has a distinct rough-hewn texture that has been blended into two natural tones - Weathered Moss and Weathered York.

for technical
information see
page 50



Cathedral paving - Weathered York

Colour

Weathered
Moss

Weathered
York

Cathedral paving - Weathered Moss

Cathedral Stepping Stones

Your paving and patio can extend even further into your garden by laying a series of Cathedral stepping stones.



Cathedral paving - Weathered Moss

Cathedral Circle

Available in various sizes and easily integrated into your patio, the Cathedral Circle is a flexible solution to creating a striking garden feature.



Cathedral Circle
Barley
SIZE 1.8m Diameter

for technical information see page 52

Create Your Own
 All pieces of the Cathedral Circle are available individually, allowing you to create circles of up to 3.48m diameter, half circles, quarter circles, creative borders and curvy pathways.


SIZES 1.8m Diameter, 2.56m Diameter & 3.48m Diameter

Colour		
Barley	Weathered Moss	Weathered York

Integrating Your Circle

The Cathedral Circle can be squared-off using our Corner Infill Sets, which will convert your circle into a square formation without having to cut any stones, and allows easy integration with Cathedral paving.

Corner Infill Sets are available on all three circles. Adding a Corner Infill Set to the 3.48m Cathedral Circle will extend your patio to a 3.6m x 3.6m square.



Cathedral Circle - Weathered York


Rectory

With it's charming riven surface, Rectory paving is full of character, ideal for creating idyllic spaces with a rural impression. The traditional appearance of Rectory gives refinement to paved areas. Available in three sizes for both traditional and random paving patterns.



Rectory Kit
Welsh Slate

SIZE 7.29m²



Mix It Up

Why not try mixing two different paving styles: both with Riven textures, Rectory paving and Rumbled Block when used together create a distinctive look with an individual style.



Rectory paving - Welsh Slate

for technical
information see
page 57

Rectory Circle

The Rectory Circle can be used as a solitary feature in a sunny corner of a garden or easily integrated into Rectory paving to create a stunning focal point.

Rectory Circle

Welsh Slate

SIZE 1.8m x 1.8m

Colour

Welsh Slate



for technical
information see
page 57



Rectory Circle - Welsh Slate



Aurora Circle - Antique Grey with Barley

Aurora Circle

Two contrasting colours are set in this beautiful garden feature, providing a dazzling effect in the sunlight. The Aurora Circle is based on the design of our popular and larger Sun Circle. At just 1.8m, the Aurora is a compact feature perfect for those with smaller outdoor spaces.

Larger Aurora Circle with Outer Rings

SIZE 2.56m Diameter

Colour

Antique Grey with Barley



for technical
information see
page 56

Aurora Circle

SIZE 1.8m Diameter



Aztec Sun Stepping Stone

Compliment the Aurora Circle with our beautiful Aztec Sun stepping stones.



Sun Circle

The Sun Circle comes complete in a dramatic combination of two colours, Antique Grey and Barley. For something a little spectacular, our ever-popular Sun Circle will have a dynamic effect on your space.



Sun Circle

Antique Grey with Barley

SIZE 2.56m Diameter

Sun Circle with Squared Off Edges

Antique Grey with Barley

SIZE 3m x 3m

Colour

Antique Grey with Barley



Rope Coil Stepping Stones

Our new Rope Coil stepping stones are the perfect addition to the Sun Circle.

for technical
information see
page 56



Sun Circle - Antique Grey with Barley



Lakeland Star

Our Lakeland Star features a striking, contemporary design that will bring the 'wow' factor to your garden. Lakeland Star comes complete in a mix of two colours - Gold with Cumbrian Slate.

for technical
information see
page 56

Lakeland Star


Gold with Cumbrian Slate

SIZE 2.4m x 2.4m



Colour

Gold with Cumbrian Slate



Lakeland Star - Gold with Cumbrian Slate


Lakeland Sun

Our Lakeland Sun creates a dynamic impression in your outdoor space and is ideal for brightening up a corner. Lakeland Sun comes complete in a mix of two dramatic colours - Gold with Cumbrian Slate. Corner Infill Sets* are also available - the squared-off edges allow easy integration into Lakeland paving.

**Available separately*

Colour

Gold with Cumbrian Slate



Lakeland Sun

Gold with Cumbrian Slate

SIZE 2.4m x 2.4m



Complete the
**Lakeland
Look**



Our ever-popular Lakeland range has expanded even further! We now stock a complete range of Lakeland products.

- Paving
- Lakeland Star & Lakeland Sun
- Lakeland Sun Octagon
- Walling, Edging & Copings

for technical
information see
page 55

Lakeland Sun - Gold with Cumbrian Slate

Lakeland

Our ever-popular Lakeland range brings the unmistakable look and texture of natural slate to your garden. Lakeland paving is available in classic Cumbrian Slate, and with it's accompanying Lakeland walling, offers you a wide range of possibilities when creating your outdoor space.



Complete the Lakeland Look

Large, smooth white pebbles make a great companion to the textured, cool slate grey of Lakeland paving.



Colour

Cumbrian Slate

for technical information see page 55



Lakeland paving



Lakeland walling

Lakeland paving - Cumbrian Slate

Catherine Wheel

Looking for something different? The Catherine Wheel provides a stunning visual display for your garden. Corner Infill Sets are available to allow you to integrate a Catherine Wheel into a paved area. The Catherine Wheel is available in Autumn Brown, Weathered Slate and Barley. Stepping stones are also available to complete the look.

Catherine Wheel

Barley

SIZE 2.09m Diameter

for technical
information see
page 57

Colour

Autumn
Brown

Weathered
Slate

Barley



Newgrange Stepping Stones

Recreated from original ancient stone carvings at Newgrange.



Catherine Wheel - Weathered Slate

Chapter

Chapter has a beautiful weathered appearance of vintage style paving. Recreated from ancient originals reminiscent of flagstones worn over time. Available in a patio pack comprising of five sizes and a blend of colours it is ideal for creating a modern garden with a flavour of the past.

Chapter paving - Old Ivory

for technical
information see
page 50

Chapter Stepping Stones

Replicating random, organic looking shapes with a riven texture to match its paving perfectly.

Colour

Old Ivory

Country Gold

Barley

Chapter paving - Country Gold

Chapter paving - Country Gold

Chapter Circle

The Chapter Circle is enhanced by a naturally aged appearance, and creates a strong focal point in your garden. The Chapter Circle is available in three sizes, 2m, 3m and 4m diameters. Corner Infill Sets are available for the 3m Chapter Circle, so you can easily integrate the feature into a larger paving area.


for technical
information see
page 51

Endless Possibilities

All pieces of the Chapter Circle can be purchased individually, allowing you to create quarter and half circles, including full circles up to a maximum of 4m diameter.

Create a Pathway

Why not try combining different pieces of the circle and paving to create winding paths and curvy borders.



SIZES

2m Diameter
3m Diameter
4m Diameter

Colour

Old Ivory

Country Gold

Barley



Step On Up

Designer steps and raised platforms can be easily created using our walling and paving.


Chapter Circle and paving - Country Gold

Chesia

Chesia captures the essence of country house living, authentically recreating the tone and texture of natural stone. Chesia can be used externally, but why not bring a warm, rustic feel to your home by laying Chesia indoors? From kitchens to conservatories, it's 30mm thickness makes it ideal for interiors.



Chesia paving - Welsh Slate



Chesia paving - Limestone

for technical
information see
page 49

Colour

Limestone

Welsh Slate



Chesia Edging

Versatile stone-lap edging.

SIZE 435mm x 250mm x 30mm

Swiss

Swiss paving has a pleasing, slightly textured surface with fine edge detail. With its clean lines and uncomplicated structure, this is ideal for the contemporary garden.

SIZE 450mm x 450mm x 32mm



Swiss paving

Rustic Brick



Rustic Brick

Rustic Brick paving was developed to capture the warmth of old handmade bricks laid in traditional style. Available in Autumn Gold and Olde Brindle.

SIZE 450mm x 450mm x 32mm



Olde Brindle

Spanish Petal Circle

Spanish Petal Circle is a very pleasing old world feature using a combination of cobble and brick in a time honoured European tradition. Ideal for a small town garden.



SIZE 2.7m Diameter



Spanish Petal Circle

Glenmore Circle



Glenmore Circle

A smooth-edged paving with a lightly textured surface synonymous with freshly quarried York stone. This easy to lay kit can be used to create a delightful garden feature.

SIZE 2.4m Diameter

Colour

Limestone

Smoked Silver

Old Dublin Cobbles



Old Dublin Cobbles are a completely new paving system consisting of individually cast cobble stones, connected by a nylon matting for ease and speed in laying. Ideal for pathways and borders.



SIZE 430mm x 850mm

NO. PER M² 2.8



Old Dublin Cobbles



Liscannor

This traditional paving is cast from original Liscannor slate from County Clare. This versatile product is ideal for indoor and outdoor use.

SIZE 450mm x 300mm x 30mm



Liscannor stepping stones

Deckpave

A hard wearing, durable, attractive and maintenance free alternative to timber decking.

SIZE 450mm x 450mm x 32mm




Deckpave

Sleeper paving



for technical information see page 50



Sleeper

Sleeper paving captures the warm textures of real timber, without the maintenance. Beautiful and durable, Sleeper paving will bring a warm, welcoming, rustic feel to your garden.

SIZE 900mm x 225mm x 45mm

SIZE 675mm x 225mm x 45mm

SIZE 225mm x 225mm x 45mm



Rumbled Block



Rumbled Block is a hard wearing stone, ideal for terraces, patios and driveways. Subtle shades of autumnal colours will allow you to create enchanting features, and striking patterns can be created by using a mix of colours.



Rumbled Block paving

Riviera tiles



Riviera Tiles

Easy to handle with a choice of colours. Fine jointed with a chamfered edge and pleasing surface texture.

SIZE 400mm x 400mm x 32mm

Colour	
Charcoal	Portland Grey
Red	Buff

Herringbone

With its raised surface texture, Herringbone is ideal for sloped garden pathways.

Colour



SIZE

400mm x
400mm x 32mm



Herringbone

Mini Cobbles




Mini Cobbles Quadrant

Mini Cobbles

Mini Cobbles are available in a single, easy to handle size. Exciting patterns can be created using Quadrants.

Colour



SIZE

400mm x 400mm x 32mm

Rivenlite

Easy to handle in a single size with a fine joint.

Colour



SIZE


400mm x
400mm x 32mm



Rivenlite

Classic Riven

Displaying a natural riven surface, this cost effective range is available in four colours.



SIZE 450mm x 450mm x 32mm




Classic Riven

Cracked Ice



Cracked Ice


This paving benefits from a contemporary textured surface.



SIZE 450mm x 450mm x 32mm

Pressed

Simple clear lines with chamfered edges makes this a cost effective paving option.



SIZES 600mm x 600mm x 40mm
400mm x 400mm x 40mm
400mm x 400mm x 32mm



Pressed



Riven Vintage Blend - Smoked Silver

Riven Vintage Blend

Using pleasing combinations of colour and texture, this eye-catching paving is easy to lay and will produce an interesting garden feature.

Colour

Smoked Silver

Terra Flama


Autumn Gold



SIZE 450mm x 450mm x 32mm



Riven Vintage Blend - Terra Flama



Riven Vintage Blend - Autumn Gold

New Priory

New Priory has been a popular choice for creating delightful garden features. Available in a variety of sizes, a truly random design can be achieved.

New Priory paving is straight-edged with a lightly textured surface, true to the distinctive nature of classic Yorkshire stone. With a range of natural-looking colours to choose from, New Priory is an ideal choice for both urban and rural gardens.



New Priory - Weathered Limestone

SIZES	900mm x 600mm x 32mm
	600mm x 600mm x 32mm
	600mm x 300mm x 32mm
	300mm x 300mm x 32mm



New Priory - Ivory

Product Information



The following pages should give you all the detailed information to enable you to bring your garden to life.


Chesia

Chesia faithfully recreates the tone and texture of classic natural stone, available in two colours.

see
page
24



7.29M² PAVING PACK




COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Welsh Slate	A	750mm x 500mm x 30mm	25kg	750kg	2.7
	B	500mm x 500mm x 30mm	16kg	960kg	4
Limestone	C	500mm x 250mm x 30mm	8kg	480kg	8


Baroque

Baroque's sleek smooth lines and fine surface will give your patio a touch of class. Also available as a paving pack.

see
page
4




7.28M² PAVING PACK



COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Limestone	A	600mm x 400mm x 32mm	15.5kg	387.5kg	4.2
	B	400mm x 400mm x 32mm	11kg	550kg	6.3
Old Ivory	C	200mm x 400mm x 32mm	5.5kg	275kg	12.5
Baroque Paving Pack				493.5kg	

Baroque Oval & Piccolo Oval

Create a stand alone feature or incorporate in a paved area using Corner Infill Sets.



see
page
5

COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Limestone	Baroque Oval Patio Pack	3200mm x 2200mm	390kg	5.53
	Corner Infill Sets	3200mm x 2400mm	158kg	7.68
Old Ivory	Piccolo Oval Patio Pack	2400mm x 1400mm	125kg	2.64
	Corner Infill Sets	2800mm x 1600mm	120kg	4.48

Sleeper

Durable stone with a welcoming, rustic touch.

see
page
28




COLOUR AVAILABLE	SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Sleeper	900mm x 225mm x 45mm	20kg	410kg	4.9
	675mm x 225mm x 45mm	20kg	310kg	6.6
	225mm x 225mm x 45mm	40kg	200kg	20


Cathedral

The Cathedral Paving range has a distinct rough-hewn texture that is blended into three colours. Also available as a paving pack.

see
page
12



7.29M² PAVING PACK



Also available in a larger 14.58m² pack

COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Weathered Moss	A	600mm x 450mm x 38mm	22kg	1100kg	3.7
	B	450mm x 450mm x 38mm	15.5kg	775kg	5
Weathered York	C	450mm x 225mm x 38mm	8kg	400kg	10
Barley	Cathedral Paving Pack			603kg	


Chapter

Chapter paving has a subtle worn-smooth riven appearance and is available in random sizes and surface texture. Also available as a paving pack.

see
page
22




7.29M² PAVING PACK



COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Old Ivory	A	750mm x 500mm x 40mm	35kg	700kg	2.7
	B	750mm x 250mm x 40mm	18kg	720kg	5.35
Barley	C	500mm x 500mm x 40mm	26kg	1040kg	4
	D	500mm x 250mm x 40mm	13kg	520kg	8
Country Gold	E	250mm x 250mm x 40mm	6kg	240kg	16
	Chapter Paving Pack			740kg	

Chapter Circle


The Chapter Circle patio pack is available in three different sizes, with each kit containing all the stones you need to create the design.




see
page
23

COLOURS AVAILABLE		NO. PER PALLET	PALLET WEIGHT	CIRCLE CIRCUMFERENCE	M ² PER PACK
Old Ivory	2m Diameter Chapter Circle Patio Pack	28 mixed	288kg	6.28m	3.14
Barley	3m Diameter Chapter Circle Patio Pack	52 mixed (over 2 pallets)	636kg	9.42m	7.07
Country Gold	4m Diameter Chapter Circle Patio Pack	76 mixed (over 3 pallets)	1116kg	12.57m	12.57


2M DIAMETER PATIO PACK



3M DIAMETER PATIO PACK



4M DIAMETER PATIO PACK



	SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER PALLET
A	Quad 1m diameter	18kg	360kg	20
B	Inner 2m diameter	9kg	216kg	24
C	Middle 3m diameter	14.5kg	348kg	24
D	Outer 4m diameter	20kg	480kg	24
Corner Infill Sets*		45kg	180kg	4

CORNER INFILL SETS

Our Corner Infill Sets will easily convert your 3m diameter Chapter Circle into a square formation without having to cut any stones. 4 x five-piece Corner Infill Sets (20 pieces in total) will produce a paved area of approximately 9m².

* Corner Infill Sets are only available for Chapter Circles of 3m diameter.

CREATE YOUR OWN

All pieces of the Chapter Circle can be purchased individually allowing you to create quarter and half circles.

Cathedral Circle

The Cathedral Circle patio pack is available in three sizes, 1.8m, 2.56m and 3.48m diameter. Each kit contains all the stones you need to create the design.




see
page
13

COLOURS AVAILABLE		NO. PER PALLET	PALLET WEIGHT	CIRCLE CIRCUMFERENCE	M ² PER PACK
Weathered Moss	1.8m Diameter Cathedral Circle Patio Pack	36 mixed	216kg	5.66m	2.54
	2.56m Diameter Cathedral Circle Patio Pack	56 mixed	416kg	8.04m	5.15
Weathered York	3.48m Diameter Cathedral Circle Patio Pack	76 mixed (over 2 pallets)	716kg	10.93m	9.51
Barley					

1.8M DIAMETER CIRCLE


Shown with Radius 3 Corner Infill Sets, available separately



	SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER PALLET
A	Radius 1	6kg	288kg	48
B	Radius 2	6kg	288kg	48
C	Radius 3	6kg	240kg	40
D	Radius 4	10kg	400kg	40
E	Radius 5	16.5kg	300kg	20
Radius 3 Corner Infill Sets		12.8kg	51.2kg	4
Radius 4 Corner Infill Sets		77kg	308kg	4
Radius 5 Corner Infill Sets		120kg	480kg	4

2.56M DIAMETER CIRCLE

Shown with Radius 4 Corner Infill Sets, available separately



CORNER INFILL SETS


Our Corner Infill sets will easily convert your Cathedral Circle into a square formation without having to cut any stones.

OVERALL DIMENSIONS

1.8m circle: 1.8m x 1.8m square giving 3.24sqm (3 pieces per corner)
 2.56m circle: 3m x 3m square giving 9sqm (5 pieces per corner)
 3.48m circle: 3.6m x 3.6m square giving 12.96sqm (5 pieces per corner)

3.48M DIAMETER CIRCLE

Shown with Radius 5 Corner Infill Sets, available separately



CREATE YOUR OWN


All pieces of the Cathedral Circle can be purchased individually, allowing you to create full circles up to 3.48m, half circles and quarters.

Chalice


Chalice is available in 2 ready made paving packs. Five different sizes are available for various applications (stones A-C have a depth of 35mm, stones D-E have a depth of 32mm).

see
page
6

7.29M² PAVING PACK



7.29M² PAVING PACK



Also available in a larger 14.58m² pack

COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²	M ² PER PACK
Honey Brown	A	600mm x 600mm x 35mm	25.5kg	765kg	2.8	10.7
	B	600mm x 300mm x 35mm	13kg	780kg	5.5	10.9
Mellow Gold	C	300mm x 300mm x 35mm	6kg	360kg	11	5.5
Chalice 5.76m Paving Pack				405.5		5.76

		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²	M ² PER PACK
D		450mm x 450mm x 32mm	12.5kg	1000kg	5	16
E		450mm x 225mm x 32mm	6.5kg	520kg	10	8
Chalice 7.29m Paving Pack				450.5		7.29

Chalice Circle


The Chalice Circle patio pack is available in three options, and a choice of three colours.

see
page
7

COLOUR AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Honey Brown	Chalice Circle Patio Pack	1.5m diameter	125.5kg	1.77
	Including Corner Infill Sets	1800mm x 1800mm	210kg	3.24
Mellow Gold	Including Chalice Paving	2700mm x 2700mm	458kg	7.29
Charcoal				


OPTION 1

Chalice Circle 1.5m diameter patio pack




OPTION 2

Chalice Circle patio pack with Corner Infill Sets



OPTION 3

Chalice Circle patio pack with Corner Infill Sets & Chalice paving*




* Includes 20 x Chalice paving slabs, 450mm x 450mm


Stratford

Stratford authentically captures the elegance of time honoured paving.

see
page
10



7.29M² PAVING PACK





COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Antique Grey	A	600mm x 600mm x 45mm	34kg	680kg	2.8
	B	600mm x 450mm x 45mm	23.5kg	940kg	3.7
	C	600mm x 300mm x 45mm	16kg	640kg	5.5
	D	450mm x 450mm x 45mm	19kg	760kg	5
	E	300mm x 300mm x 45mm	8kg	320kg	11
Stratford Paving Pack				530kg	

Stratford Octagon


To complement the Stratford paving range, Stratford Octagon is a stunning feature that can be easily integrated into a paved area.

see
page
11




COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M² PER PACK
Gold	Stratford Octagon Patio Pack	2250mm x 2250mm	450kg	5.06
Antique Grey				

7.29M² PAVING PACK



Parisian

Available in five sizes, Parisian allows a random pattern to be laid, making it great for covering large areas. Also available as a paving pack.





see
page
9

COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Parisian Limestone	A	600mm x 600mm x 45mm	30.5kg	762.5kg	2.8
	B	600mm x 450mm x 45mm	24kg	1200kg	3.7
	C	600mm x 300mm x 45mm	15.5kg	775kg	5.5
	D	450mm x 450mm x 45mm	19kg	760kg	5
	E	300mm x 300mm x 45mm	8kg	320kg	11
Parisian Paving Pack				460kg	

Parisian Octagon

To complement the Parisian paving range, Parisian Octagon is a stunning feature that can be easily integrated into a paved area.




COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Parisian Limestone	Parisian Octagon Patio Pack	2250mm x 2250mm	450kg	5.06

Lakeland

Available in classic Cumbrian Slate with co-ordinating walling and edging. Also available as a paving pack.



7.28M² PAVING PACK




Also available in a larger 14.58m² pack

COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Cumbrian Slate	A	600mm x 400mm x 35mm	18kg	450kg	4.2
	B	400mm x 400mm x 35mm	13kg	650kg	6.3
	C	400mm x 200mm x 35mm	6.5kg	325kg	12.5
Lakeland Paving Pack				475kg	

See
page
20

Lakeland Sun

Lakeland Sun comes complete in a mix of two colours - Gold with Cumbrian Slate. Available with or without square offs.



see
page
19


COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Gold with Cumbrian Slate	Lakeland Sun Patio Pack	2400mm x 2400mm	471kg	5.76

Lakeland Star

Lakeland Star comes complete in a mix of two colours - Gold with Cumbrian Slate.




see
page
18




COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Gold with Cumbrian Slate	Lakeland Star Patio Pack	2400mm x 2400mm	453kg	5.76

Aurora Circle

Aurora Circle comes complete in a mix of two colours - Antique Grey with Barley. Corner Infill Sets are available separately.



see
page
16




COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Antique Grey with Barley	Aurora Circle Patio Pack	1.8m diameter	225kg	5.15
	Corner Infill Sets	2100mm x 2100mm		4.41

Sun Circle

Sun Circle is a stand alone feature which comes in a mix of two colours - Antique Grey with Barley. Corner Infill Sets are available separately.




see
page
17



COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Antique Grey with Barley	Sun Circle Patio Pack	2.56m diameter	430kg	5.15
	Corner Infill Sets	3000mm x 3000mm		9

Catherine Wheel

Catherine Wheel comes complete in three colours, each with a blend of two shades - Autumn Brown, Weathered Slate and Weathered Moss.



see
page
21



COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Autumn Brown	Catherine Wheel Patio Pack	2.09m diameter	315kg	3.43
Weathered Slate				
Weathered Moss				


Rectory

A deep, heavy riven surface, Rectory paving is full of character. Available in three sizes and a traditional Welsh Slate colour. Also available as a paving pack.



see
page
14

7.92M² PAVING PACK




COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Welsh Slate	A	600mm x 600mm x 38mm	30.5kg	762.5kg	2.8
	B	600mm x 300mm x 38mm	16kg	800kg	5.5
	C	300mm x 300mm x 38mm	7kg	350kg	11
Rectory Paving Pack				460kg	

Rectory Circle

Created to enhance the Rectory paving range, Rectory Circle is available in Welsh Slate.



see
page
15



COLOURS AVAILABLE		OUTER DIMENSION	PALLET WEIGHT	M ² PER PACK
Welsh Slate	Rectory Circle Patio Pack	1800mm x 1800mm	305kg	3.24
	Rectory Circle Patio Pack Outer Rim	2400mm x 2400mm		5.76


Burren Slate

This traditional paving is modelled on original slate from County Clare and is practically indistinguishable from the real stone.



see
page
8

7.29M² PAVING PACK



COLOURS AVAILABLE		SIZE	UNIT WEIGHT	PALLET WEIGHT	NO. PER M ²
Burren Slate	A	600mm x 600mm x 38mm	30.5kg	762.5kg	2.8
	B	600mm x 300mm x 38mm	16kg	800kg	5.5
	C	300mm x 300mm x 38mm	7kg	350kg	11
Burren Slate Paving Pack				460kg	

Helpful Tips for Laying Your Paving

Laying a paved area or a driveway is well within the ability of the enthusiast. Taking a step by step approach to the project, it is possible to create a beautiful feature that will be enjoyed by you and the whole family. This paved area, patio or driveway designed and created with a little care and attention, will add value to your home.

PLANNING

Start first with a sketch of all areas to be paved, indicating the dimensions and layout patterns. Be sure to show in the drawing items like drains, the height of damp proof course, the fall or slope of the area and any other constraints to be taken into account such as steps, lawns, walls, etc. Usually a slope of 1:100 is quite sufficient to allow surface water to fall away from the buildings. Calculate the quantity of sand and cement needed for bedding the slabs. This mortar bed should be between 15mm and 40mm thick and at a ratio of 1 part cement to 6 parts sand.

SITE PREPARATION

Ensure the area to be paved is firm and compact otherwise your paved area will suffer subsidence. Digging out any soft soil and replacing with crushed stone with a high dust content is the best option. Level your ground off at this point, approximately 50mm below the finished level of the paved area. Start now by laying the first slab. It is best if you start with a corner slab and at the highest point of the area. A good useful idea is to use string and mark out the area, this will help to keep the joints at 90 degrees to each other.

LAYING

At this stage, you will need a spirit level at least the length of the longest flag. You also need a trowel and a shovel. Mix the sand and cement together in batches that are manageable

(by shovel or use a small mechanical mixer). Put down a layer of mix where you are going to lay the slab. Level the sand cement mix out to a depth of approximately 50mm. Proceed to lay the slabs on this mix. Making sure slabs are in a straight line and are level with each other. Plan to lay your slabs in such a way that no traffic or weight crosses them for at least one day. Take care that cement is kept off the surface of the paving or it will cause staining. The correct placement of each slab should be achieved first time. Do not apply excessive force on the slab, carefully check it with a spirit level, apply gentle pressure until the correct placement is achieved. Lay the full slabs first then cut any odd shapes and sizes that are required. Use a stone angle grinder for cutting, this gives a good clean cut without breakages.

Before you cut, measure and mark the slab. Cutting creates dust, so always cut away from the paving and always wear gloves, mask and protective eyewear.



Important Information

EFFLORESCENCE

All concrete products may suffer the temporary phenomenon of efflorescence. Efflorescence can sometimes appear as white powder, or just an apparent lightening or fading of colour. This is caused by the migration of soluble salts to the surface, the most common being calcium hydroxide, which reacts with atmospheric carbon dioxide to form calcium carbonate - a white deposit of low water solubility, becoming apparent as the surface dries.

EFFLORESCENCE CHEMISTRY

Calcium Hydroxide $\text{Ca}(\text{OH})_2$ + Carbon Dioxide (CO_2) +
Calcium Carbonate (CaCO_3) + Water (H_2O)

REMOVAL OF EFFLORESCENCE

Ideally it is better to let the phenomenon disappear naturally, but it can be removed by using warm soapy water, a deck scrub and a garden hose. We do not recommend the use of harmful chemicals such as acid or bleach to clean the paving as this can damage the surface and may alter the colour.

Efflorescence is a natural phenomenon and one that does not affect the durability and performance of the concrete in question.

PREVENTION OF EFFLORESCENCE

It is not possible to predict precisely when, or if, efflorescence will occur as well as relatively minor changes in the quality of the concrete, the curing conditions and the environment can cause its formation.

HANDLING

Ensure products are on level ground before unwrapping and remove wrapping and banding with the appropriate tools; it is recommended that safety goggles and gloves are worn. To avoid breakages, chipping and other damage, products should always be handled with care and either left on level ground or supported in some way to prevent falling over. Movement in transit can sometimes cause minor scuffing, but this will disappear in time. If in any doubt, do not lay and consult our sales team.

JOINTING

We recommend the use of proprietary jointing compound such as Joint-It or Fuge. **Under no circumstances should cement or mortar be used in the joints as this can lead to staining.**

SEALING

All our Paving should be sealed as soon as possible after laying to protect from weathering, staining and the effects of nature.

ROAD SALT & PRESSURE WASHERS

We do not recommend the use of road salts during freezing/thawing conditions. Salts can affect both the appearance and durability of the paving. We also do not recommend the use of Pressure Washers as damage may occur to the surface of the paving.

COLOUR

Due to the phenomenon of differential curing, slight colour and shade variations do occur in individual coloured concrete products. Site conditions, seasonal manufacture or naturally occurring variations in the aggregates used can also cause variations. This is generally considered to enhance the natural stone effect and the colours will invariably weather together in time.

NATURAL STONE

Unavoidable colour and thickness variations occur within the natural stone ranges. Our natural stone is sourced from suppliers who are registered with the 'ethical trading initiative'.

ORDERING

In respect of this, it is suggested that when laying paving that the flagstones are ordered as a total batch and drawn from several packs at the same time to enhance any colour variation. Choice of colours should be made from actual materials rather than the colour photographs herein.

WEATHERING

Just like natural stone, the appearance of concrete products will weather and change, especially after a period of time exposed to the elements.

SIZES

Chapterstone paving is manufactured to capture the authenticity of natural slabs and as such, they do vary in thickness. All sizes are nominal and customers should check with their supplier. Fissures can occur on larger individual slabs as a natural result of shrinkage, this does not alter the durability of the product.

LIABILITY

Liability in respect of any statements, conditions, warranties and representations made on behalf of Chapterstone is limited in accordance with the terms set out in Standard Conditions of Sale. While every effort is made to give sound advice, Chapterstone cannot accept any responsibility for any loss, damage or injury sustained as a result of following it.

Chapterstone will not take any responsibility or liability in respect of products being used for any purpose other than those for which they were intended by the manufacturers. Due to our continuous evolution of product design and improvement, our range is subject to change without notice. Customers should check that information is up to date.

REGIONAL VARIATIONS

When ordering materials, order from source as colours and finishes vary regionally. Should a product reach you in an unsatisfactory condition, and other than a naturally occurring one described previously, the defect would have to be apparent prior to laying. It is at this point that the supplier should be notified of such a fault, allowing time for the rejected product to be replaced. If the complaint is raised after laying the product, no responsibility will be accepted for any relaying or removing costs. Chapterstone will not be liable for fair wear and tear, wilful damage or negligence of the customer or abnormal conditions.

Our full conditions of sale are available on request.