

#### **Material Safety Data Sheet**

#### 1. Identification of the substance/mixture and the company/undertaking

- 1.1 Product identifier/name: Olympic Fixings Polyester Resin Chemical Anchor Styrene Free
- 1.2 Use of substance/mixture: Chemical Anchoring
- 1.3 Details of the supplier:

Olympic Fixing Products Ltd, 1-4 Venture Court, Metcalf Drive, Accrington, Lancashire, BB5 5WH Tel: 44(0)1282 778923. Email: accrington@olympicfixings.co.uk

**1.4 Emergency telephone number:** +44 (0)1282 778923

#### 2 Hazard Identification

**2.1 Classification under CLP:** Eye Irrit. 2: Skin Sens. 1:H317;H319.

May cause an allergic skin reaction. Causes serious eye irritation. May cause an allergic skin reaction.

**2.2 Label elements.** Label elements. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. **Signal words**. Warning



Hazard pictograms: GHS07: Exclamation mark.

P280: Wear protective gloves/clothing/eye protection/face protection. P302+352: If on skin: Wash with plenty of water/soap. P305+351+338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P308+313: If exposed or concerned: Get medical advice/attention.

#### 3 Composition/information on ingredients

3.1 Mixtures: Vinyl Toluene: CAS 25013-15-4. CLP Classification

Flam. Liq. 3 – H226; H332; Asp.Tox 1:H372; Skin Irrit. 2: H315; EYE Irrit. 2 H319. H304. Percentage 3–10 % Benzoyl Peroxide. CAS-No.:94-36-0. Skin Sens. 1: H317; Org.Perox. B: H241; Eye Irrit. 2: H319. Percentage 1-3% Ethylhexyl Benzoate. CAS-No. 5444-75-7. Aquatic Chronic 4: h413. Percentage 1-3%

## **4 First Aid Measures**

Skin contact: In case of skin contact wipe off mechanically, and wash afflicted areas with soap and water.

Eye contact: Rinse carefully and thoroughly with water and seek medical attention.

Inhalation: Move to fresh air. Seek medical advice.

**Ingestion: Do not** induce vomiting. Rinse mouth. Seek medical attention.

#### **5 Fire Fighting Measures**

**5.1 Extinguishing media:** Dry powder, carbon dioxide or foam.

**5.2 Advice to firefighters:** Wear self-containing breathing apparatus.

### **6 Accidental Release Measures**

- **6.1 Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- **6.2 Personal precautions:** Refer to section 8 of SDS for personal protection details.

# 7 Handling and Storage

Handling. Keep away from sources of ignition and heat. Ensure adequate ventilation.

Storage. Store in a cool, well ventilated place away from direct sunlight.

## 8 Exposure Control/Personal Protection

Respiratory protection: Provide adequate ventilation. In enclosed areas an organic vapour mask will be required

if the exposure limit is exceeded.

**Skin protection**: Wear suitable protective clothing at all times.

**Eye protection**: Safety glasses. **Exposure control limits:** 5mg./m3.(8 Hours)

Dibenzoyl peroxide-5ml/m3 (8 Hours)

9 Physical and Chemical Properties

Appearance	Paste
Odour	Sweet smelling
Density	1.71g/cm3
Flash point	32 degrees C
Explosive/oxidising properties	Lower 1.1%, Upper 8% limit
Solubility	Insoluble in water

### 10 Stability and Reactivity

**10.1 Stability:** Product is stable and non-reactive whilst in cartridge.

10.2 Chemical stability: Stable under normal conditions. May polymerise on heating.

10.3 Possibility of hazardous reaction: Hazardous reaction will not occur under normal transport conditions.

10.4. Conditions to avoid: Heat. Air. Sources of ignition. Direct sunlight.

10.5. Incompatible materials. Materials to avoid. Acids. Alkalis. Heavy metal compounds. Reducing agents.

**10.6. Hazardous decomposition products.** In combustion emits toxic fumes. Pressure rise and possible bursting of container may follow.

### 11 Toxicology Information

11.1 Dibenzovl Peroxide. ORL. MUS. LD50. 570MG/KG

ORL, RAT, LD50, 7710MG/KG

Symptoms/routes of exposure. Skin contact: There may be irritation and redness at the site of contact

Eye contact. There may be irritation and redness.

**Ingestion:** No data available **Inhalation:** Harmful by inhalation.

#### 12 Ecological Information

12.1. Toxicity: Ecotoxicity values: No data available.

**12.2. Persistence and degradability:** No data available.

12.3. Bioaccumulative potential: No data available.

**12.4. Mobility in soil:** Insoluble in water. Heavier than water.

12.5. Results of PBT AND VPVB ASSESSMENT. This product is not identified as a PBT/VPVB Substance.

### 13 Disposal Conditions

**13.1.** Transfer to a suitable container and arrange for collection by a specialised disposal company. Small quantities can be mixed and allowed to cure, then can be disposed as solid waste.

#### 14 Transport

Transport class: This product does not require a classification for transport.

### 15 Regulatory Information

- **15.1. Safety, health and environmental regulation specific for the substance or mixture. Specific regulations**: Not applicable.
- **15.2. Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### **16 Other Information**

16.1 This safety data sheet is prepared in accordance with commission regulation (EU) No 453/2010.

Risk phrases in full.

H226: Flammable liquid and vapour.

H241: Heating may cause a fire or explosion.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H413: May cause long lasting harmful effects to aquatic life.

### Legal disclaimer:

The product should be stored, handled, used and disposed of in accordance with the above guidelines. Users should consider the information as a guideline only and should make their own considerations when using the product in terms of suitability and safety. It should not be construed as guaranteeing specific properties.

Olympic Fixing Products Ltd, 1-4 Venture Court, Metcalf Drive, Accrington, Lancashire, BB5 5WH Tel 44(0)1282 778923. Email: accrington@olympicfixings.co.uk

Revised 01/01/19 Issue number 3