

**SCAN HERE**

# Secura Lite




## Mortar-free retaining wall.

Secura Lite has an antique feel, and a warm aged finish. The combination of block widths available, produce a traditional, random stone appearance.

- Easy to build
- Used mainly in domestic applications
- Features a unique aged finish
- Available in a combination of three block widths
- Creates a random stone appearance
- Vibrant long-lasting colours

 **Ef-Stop®****SF**Split  
Face

Finish

**Sizes**

All three sizes in one pack



# Secura Lite



## Specification



<b>Product type</b>	Concrete Block
<b>Manufactured to</b>	BS EN 771-3:2011
<b>Surface finish</b>	Processed to give aged appearance
<b>Efflorescence</b>	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
<b>Strength</b>	Compressive strength >30N/mm <sup>2</sup>
<b>Design and Installation to</b>	BS 8002:2015
<b>BS</b>	<b>Plus</b> D41 310 <b>Create</b> 45-25-66/320
<b>Applications</b>	Low height gravity retaining wall solution for walls up to a maximum of 960mm high. Please refer to Tobermore's Secura Lite installation guidelines.
<b>Energy used</b>	100% renewable energy
<b>Water used</b>	100% from our rainwater harvesting system and groundwater bore hole
<b>Recycled content</b>	Not less than 6%
<b>Carbon footprint</b>	1.6kgCo <sup>2</sup> e/ea
<b>Recyclable</b>	100% of this product can be recycled
<b>Manufacturing &amp; Delivery</b>	From one location within the UK
<b>breeam rating</b> www.bre.co.uk	Refer to the Green Guide to Specification, 4th Edition 2009.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

### Contact Us

GB: 0844 800 5736  
 NI: 028 7964 2411  
 ROI: 048 7964 2411

### Email

technical@tobermore.co.uk  
 sales@tobermore.co.uk

**tobermore.co.uk**

# Secura Lite



## Stock

product	size (mm)	colours available	in stock	LM per pack	m <sup>2</sup> per slice	no. per m <sup>2</sup>	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
<b>Secura Lite</b> (all three sizes in one pack)	320 x 200 x 80 280 x 200 x 80 240 x 200 x 80	Bracken, Heather, Slate	YES	33.6	0.84	44.64	40 40 40	1121	1121
<b>Secura Lite Coping</b>	310/255 x 240 x 70 (tapered coping)	Bracken, Heather, Slate	YES	-	-	3.5LM	120	1316	1316

### Heather



### Bracken



### Slate



### Contact Us

GB: 0844 800 5736  
NI: 028 7964 2411  
ROI: 048 7964 2411

### Email

technical@tobermore.co.uk  
sales@tobermore.co.uk

[tobermore.co.uk](http://tobermore.co.uk)